

VISIT US » WWW.BRITEDECKING.COM.AU FREE FIXINGS WITH EVERY PURCHASE

COMPOSITE DECKING SOLUTION

1000



WHY BRITEDECKTM

For over 20 years, BriteDeck has been Australia's #1 choice for eco-friendly and hassle-free alternatives to wood decking. Our Composite materials, available in a range of stunning colors and textures, are engineered and certified to withstand the harsh Australian sun, UV rays, and intense heat.

Experience the benefits of traditional wood without the headaches—no rot, no termites, and no need for oiling or painting. Plus, enjoy peace of mind with our industry-leading warranty. Crafted from high-grade recycled plastics and reclaimed wood. Brite Composite



Solutions are not only smart but also sustainable for your outdoor space.

Scan Here The Britedeck Experience

FAQS

What is composite decking?

The two biggest challenges for any deck is structural integrity and the ability to withstand the elements. BriteDeck is a mixture of recycled wood fibre and polymers. This makes a product which is durable, long lasting, maintenance-free and has the warm look and feel of timber. It is a combination of the best features of both wood and polymer.

Where can I use BriteDeck[™]?

Our composites have undergone rigorous testing and certification by Australia's leading building agencies, making them the ideal choice for residential and commercial properties alike. Featuring a textured surface and a P5 slip rating, BriteDeck ensures safety without compromising style. It's impervious to salt and sea air, making it perfect for marinas, boardwalks, jetties, swimming pools, and spas. Say goodbye to warping caused by moisture or extreme weather, thanks to our unique hidden fastener system.

Our solutions can be used in any application where timber was previously employed, pending compliance with Local Government regulations and obtaining the necessary approvals.

How do I maintain my BriteDeck[™]?

A regular sweep and a wash with cold water and sugar soap is all you need to maintain your deck. Diluted household degreaser can also be used to remove no stubborn stains. There's no oiling, staining, sealing, sanding or painting. Ever.

	Dual Sideo Boa		ASA / Premium Boards
Deckboards Comparison	Urban Eco	HD Pro	NextGen Titanium
Surface Texture			
Colour Options			
Colour Tones	Mono	Duo-Tone	Duo-Tone
Board Dimensions	Length:: 5.4 m Dimension: 138 x 22.5 mm Weight: 15 kg	Length:: 5.4 m Dimension: 138 x 23 mm Weight: 20 kg	Length:: 5.8 m Dimension: 140 x 24 mm or 210 x 24mm Weight: 16 kg (140mm) 22kg (210mm)
Edge Profile	Grooved	Grooved	Grooved
Fixing Method	BriteDeck T2 Clip	BriteDeck T2 Clip	BriteDeck T2 Clip or L1 Clip (for BAL29)
Warranty	10 YEARS WARRANTY	25 YEARS WARRANTY	30 YEARS WARRANTY
	Page 4	Page 6	Page 8

URBAN ECO DUAL-SIDED COLOURS



Antique and Beach Sand



4

Teak and Walnut



Charcoal Grey and Mountain Ash



URBAN ECO

Australia's Most Versatile Designer Board

Introducing our revolutionary Urban Eco collection: the ultimate cost effective solution to elevate your outdoor space! With our double sided boards, you hold the power to flip it your way. Showcasing a gorgeous woodgrain finish on both sides, these boards let you effortlessly transform your surroundings for every occasion.

Made from eco-friendly wood fibres and responsibly sourced materials, each board boasts a dual capped system with antislip technology and a stunning woodgrain design.

Plus, its lightweight core ensures effortless handling, making it perfect for small-scale builds and inner city renovations. Upgrade your space today!

Urban Eco: Unleash the Power!

- Double sided for endless possibilities
- Versatile color choices to match your style
- Stunning wood grain finishes for an exquisite look
- Stay cool: Doesn't absorb heat, comfortable to walk on
- Anti-aging and UV resistant, built to last
- Effortless installation, hassle-free maintenance
- Lightweight design for easy handling and transportation

URBAN ECO	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Weight (kg)
Board	5.4	138 x 22.5	14	350	300	P4/R10	15
Fascia	2.7	142 x 13	NA	NA	NA	NA	6
Edging Board	5.4	138 x 22.5	NA	NA	NA	NA	15



HD PRO DUAL-SIDED COLOURS



Light Grey and Slate Grey



6

Merbau and Spotted Gum



Antique 2 and Smoke White AVAILABLE IN STANDARD

HD PRO

Our High Density series is the pinnacle of durability and lowmaintenance excellence. Made from a revolutionary blend of sustainable wood fibres and recycled plastics, it's the deck board that defies time.

Experience pure luxury with our HD Pro range. Each board features a captivating woodgrain finish on one side and a stunningly unique color on the other. Flip it over to transform your outdoor space into a masterpiece. Spanning an impressive 5.4m, these boards are built for carefree living—no slipping, rotting, warping, or tedious maintenance required.

Our reversible HD Pro boards also come with BAL-29 Bushfire Resistant technology, safeguarding your deck against the elements.

High Density Dual Decking

HD Pro Advantages

- HD Pro & HD Pro BAL Fire Rated Decking options
- Versatile color choices with double-sided solid board
- Exceptional sun damage resistance with double UV protection
- Visually appealing deck with stunning wood grain finishes
- Comfortable walking surface, doesn't absorb heat
- Hassle-free deck ownership with easy installation and simple maintenance

HD PRO	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Fire properties	Weight (kg)
HD Pro	5.4	138 x 23	14	450	400	P5/R11	STD or BAL29	20
Fascia	2.7	138 x 15	NA	NA	NA	NA	STD or BAL29	7
Edge Board	5.4	138 x 23	NA	NA	NA	NA	STD or BAL29	20

NEXTGEN TITANIUM 140mm COLOUR OPTIONS

Available in Wood Grain or Plain Sanded





Umber

Fossil




8





Pacific Merbau




COLOURS AVAILABLE IN *CUSTOM ORDER





Pecan *

Osage *



DESIGNER 140mm

ALFRESCO LUXURY FOR LIFE

Introducing the ultimate weatherproof decking. Crafted with our engineered PVC-wood composite core, each board features a Dual-layer ASA shield for powerful heat and sun defence. Our patented co-extrusion method seamlessly bonds the ASA shield, creating a strong and naturally beautiful surface.

With a non-porous core and an R11/P5 slip rating for waterexposed regions, each designer board is BAL-29 certified and fortified with fire retardants and UV inhibitors.

Say goodbye to sun-damaged traditional decks and embrace timeless timber beauty with cutting-edge materials. Backed by science and a 30-year warranty, it's the perfect choice for Australia's weather conditions.

The Future of Decking

- Best weather-resistant resin available
- Low-to-the-ground installation capability
- Incredibly strong and stain-resistant ASA
- Natural wood-like appearance
- Easy maintenance
- Heat-resistant and comfortable to walk on
- BAL-29 Certified for superior fire resistance
- Wide range of designer color choices

DESGINER 140mm	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Fire properties	Weight (kg)
Board	5.8	140 x 24	13	450	450	P5/R11	BAL29	16
Fascia	2.9	150 x 12	NA	NA	NA	NA	BAL29	6
Edge Board	5.8	140 x 24	NA	NA	NA	NA	BAL29	16

NEXTGEN TITANIUM 210mm COLOUR OPTIONS

Available in Wood Grain or Plain Sanded











Pacific Merbau



COLOURS AVAILABLE IN *CUSTOM ORDER




Pecan *





Umber *

Tawny *



10



ULTRA 210mm

ULTRA-WIDE WEATHERPROOF DECKING

Experience the widest and most durable fire rated composite material available. Our Titanium 210mm combines a non-porous composite core with our industry-leading ASA anti-weathering shield, delivering unmatched performance and efficiency.

With a carefully curated color range, we've catered to the aesthetic needs of architects and designers. The expert co-extrusion onto a stunning 210mm profile ensures an unmatched installation experience.


Featuring BAL 29 bushfire resistant technology and an industry-leading R5/P11 surface, our material offers incredible weatherproofing for maximum safety and a truly remarkable designer finish.

Durability meets style in perfect harmony - backed by a 30 year warranty.

Ultra 210 Difference

- Extra Wide profile for faster installation
- Best weather-resistant resin available
- Low-to-the-ground installation capability
- Incredibly strong and stain-resistant ASA material
- Natural wood-like appearance
- Easy maintenance
- Heat-resistant and comfortable to walk on
- BAL-29 Certified for superior fire resistance
- Wide range of designer color choices

ULTRA 210mm	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Residential span (max)	Commercial span (max)	Slip rating	Fire properties	Weight (kg)
Board	5.8	210 x 24	9	450	450	P5/R11	BAL 29	22
Fascia	2.9	150 x 12	NA	NA	NA	NA	BAL 29	6



EATONS HILL HOTEL, QLD

WINNER OF OVERALL HOTEL OF THE YEAR METROPOLITAN 2022 & BEST OUTDOOR/NON-ENCLOSED FACILITY

1. 1

E



QUICK GUIDE TO INSTALLATION

Before installing:

Please consult and comply with local building codes and special requirements or restrictions when undertaking an outdoor decking installation. Please consult a structural engineer before placing significant loading such as a pool spa on your deck.

Installation Guide:

A comprehensive installation guide will be sent to you via email once your order has been placed. This document covers all aspects of designing and installing your

deck, including common layouts, joist span, clearance requirements and an expansion and contraction table. It is important to read and understand the guidelines in their entirety before starting the project.

Tools:

Thousands of Aussie DIY'ers can attest to how quick and easy BriteDeck is to install. Our concealed fastening system makes installing up to 70% faster than timber, saving you time and money. Standard woodworking tools (drills, saws, sanders, tape measure, level, cordless screwdriver with bits, countersink bit, etc.) and self-protective equipment are all you need to get started.





Alluminium-based Modular Subfloor System

Innovative and robust design guarantees longevity, strength and quality. Can accomodate a range of surfaces and can support composite decking products.

INSTALLATION PROCESS



Place BriteDeck Starter Clip on the edge of every joist




Place Deck Clip on every joist



For boards over 4m long, place Anti-Creep Clip at the centre joist - 1 every joist



Secure and screw each clips, working on each row and towards the edge of your property



Breaker Board Installation: With boards hanging over the double joist, define a straight line and cut the boards 3 to 5mm from the edge of the joist. Slot in breaker board and secure via a 45 degree screw or face fix.

6

Finish your deck with matching Fascia boards. Face-fit directly into the joist, NEVER directly into the deck board















CONTACT US 1300 481 664



HEAD OFFICE

Brite Decking (Pty) Ltd Encompass Business Park D3/101 Rookwood Road Yagoona NSW 2199 ABN: 68 617 566 837 Phone: 1300 481 664 Email: sales@britedecking.com.au

DISTRIBUTION POINTS

New South Wales (Sydney) 6/81 Governor Macquarie Drive, Chipping Norton, NSW 2170

Victoria (Melbourne) Metro Freight Lines 75-79 Cooper Street, Campbellfield VIC 3061

Queensland (Brisbane, Gold Coast) Fetch Transport 2/260 Musgrave Road Coopers Plains QLD 4108

South Australia (Port Adelaide) 13 Francis Street Port Adelaide SA 5015

