



2025 AUTUMN COLLECTION

Mantra Pandanas Darwin

VISIT US » WWW.BRITEDECKING.COM.AU
SOLUTIONS FOR EVERY SPACE



BRITE
COMPOSITE DECKING SOLUTIONS



COMPOSITE EXPERTS

For over 25 years, Brite Decking has been Australia's #1 choice for eco-friendly, low-maintenance composite solutions. Our Titanium, HD PRO, Urban X, and Max Load decking ranges offer exceptional durability, slip resistance, and fire compliance, engineered to withstand Australia's extreme climate while maintaining the timeless beauty of timber—without the hassle.

As part of our complete composite solution, we offer cladding, SPC wall panels, and acoustic slat panels, delivering long-lasting, stylish, low-maintenance options for indoor and outdoor spaces. Crafted from high-quality materials, Brite Decking products provide strength, sustainability,

and design versatility—all backed by an industry-leading warranty.



Scan Here
The BriteDeck Experience

Total Coverage

What is Brite Composite Decking?

Brite Decking is a high-performance composite engineered to outlast and outperform timber decking. Made from recycled wood fibres and polymers, it offers the natural look of wood without the drawbacks—no rotting, warping, termites, or constant maintenance. Designed for strength and longevity, it's a smarter, low-maintenance alternative for homeowners, builders, and architects.

Complete Composite Solutions for Every Space

Beyond decking, we provide a complete composite solution for indoor and outdoor spaces:

- **Composite Cladding** – Durable, stylish, and resistant to weather, moisture, and termites, making it ideal for facades and exterior walls.
- **SPC Wall Panels** – A waterproof, easy-to-install alternative to tiles or paint, perfect for bathrooms, kitchens, and feature walls.
- **Acoustic Slat Panels** – A decorative solution that enhances interiors by combining aesthetic appeal with sound absorption.

Built to Perform, Easy to Maintain

Brite Decking products are rigorously tested for residential and commercial use, excelling in outdoor spaces like decks, jetties, pools, and facades, while SPC and acoustic panels enhance interiors such as offices, retail stores, and homes. Maintenance is effortless—decking and cladding need only occasional cleaning, while SPC and acoustic panels are scratch-resistant, easy to wipe clean, and require no sanding, sealing, or painting—ever.

Find a perfect board
for your project



HD Urban X

Small Backyards,
Patio, Renovations



HD Pro

Pools, Backyards,
Commercial



NextGen Titanium

Luxury Properties, Bushfire
Zones



HD Max Load

Marinas, Boardwalks,
Walkways

Surface Texture



Colour Options



Colour Tones



Mono



Dual-Tone



Dual-Tone



Mono

Board
Dimensions

Length: 5.4 m
Dimension: 138 x 23 mm
Weight: 16 kg

Length: 5.4 m
Dimension: 138 x 23 mm
Weight: 20 kg

Length: 5.8 m
Dimension: 140 x 24 mm
210 x 24mm
Weight: 16 kg (140mm)
22kg (210mm)

Length: 2.7 m
Dimension: 145 x 35 mm
Weight: 16.9 kg


Edge Profile



Grooved



Grooved



Grooved



Grooved

Fixing Method

BriteDeck T2 Clip

BriteDeck T2 Clip

BriteDeck T2 Clip or
L1 Clip (for BAL29)

BriteDeck T2 Clip

Warranty

10 YEARS
WARRANTY

25 YEARS
WARRANTY

30 YEARS
WARRANTY

10 YEARS
WARRANTY

HD URBAN X COLOURS



Antique
Brush Grain Finish




Ash Grey
Wood Grain Finish



Beach Sand
Brush Grain Finish




Teak Wood
Wood Grain Finish



Cape Grey
Brush Grain Finish



Dark Wood
Wood Grain Finish



Scan Here
HD Urban X Product

HD URBAN X

Transform your outdoor space with HD Urban X, Australia's best-value designer decking. Enjoy the timeless beauty of timber without the hassle, high costs, or ongoing maintenance.

Engineered for unmatched durability, HD Urban X is crafted from sustainably sourced wood fibres and features an advanced M-Wave profile, dual-capped protection, and anti-slip technology—delivering superior strength, stability, and all-weather performance. A double UV layer ensures rich, fade-resistant colour, even under Australia's harsh sun.

Perfect for residential projects, HD Urban X offers premium quality without the premium price—effortless, affordable, and built to last. Upgrade your deck today!

Affordable Quality Without Compromise

The HD Urban X Difference:

- **Premium Look, Affordable Price** – Designer-quality decking without the premium cost.
- **Easy Installation** – Lightweight for quick, hassle-free setup.
- **Built to Last** – M-Wave profile enhances strength and durability.
- **All-Weather Protection** – Double UV layer to combat sun damage.
- **Slip-Resistant & Safe** – Advanced anti-slip technology for a secure surface.

HD URBAN X	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Optimal Span Residential	Optimal Span Commercial	Slip rating	Weight (kg)
Board	5.4	138 x 23	14	350	NA	P4/R10	15
Fascia	2.7	142 x 13	NA	NA	NA	NA	6

HD PRO DUAL-SIDED COLOURS



Light Grey and Slate Grey

AVAILABLE IN *STANDARD OR 



Merbau and Spotted Gum

AVAILABLE IN *STANDARD AND 




Antique 2 and Smoke White

AVAILABLE IN STANDARD



Aussie Oak and Aussie Redwood

AVAILABLE IN STANDARD



Scan Here
HD Pro Video

HD PRO

Experience strength, style, and low-maintenance living with our High Density series, engineered to last a lifetime. Crafted from a sustainable wood fibre and polymer blend, these boards withstand Australia's harshest conditions while maintaining a timeless timber look.

Transform your outdoor space with HD Pro, featuring a stunning woodgrain finish on one side and rich colour on the other—flip it to instantly refresh your deck. At 5.4m long, these boards ensure fewer joins and a sleek, high-end finish. Built for carefree living, they're resistant to slipping, rotting, warping, while double UV protection keeps colours vibrant under the harsh Australian sun.

For ultimate peace of mind, HD Pro is BAL-29 Bushfire Resistant, offering enhanced safety in fire-prone areas. Luxury, durability, and performance—without the hassle.

Dual-Sided Strength, Timeless Style

HD Pro Advantages

- **Dual-Sided Design** – Versatile colour choices with a double-sided solid board.
- **Superior UV Protection** – Double UV layer ensures exceptional sun resistance.
- **Natural Timber Aesthetic** – Stunning woodgrain finishes for a premium look.
- **Unmatched Strength** – Built to resist warping, rotting, and cracking over time.
- **Effortless Installation & Care** – Simple to install, easy to maintain—hassle-free decking.

HD PRO	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Optimal Span Residential	Optimal Span Commercial	Slip rating	Fire properties	Weight (kg)
HD Pro	5.4	138 x 23	14	450	400	P5/R11	STD or BAL29	20
Fascia	2.7	138 x 15	NA	NA	NA	NA	STD or BAL29	7
Edge Board	5.4	138 x 23	14	450	400	P5/R11	STD or BAL29	20

NEXTGEN TITANIUM 140mm COLOUR OPTIONS

Available in Wood Grain or Matte Sanded



Fossil



Silver Grey



Umber



Willow Oak



Pacific Merbau



Tawny

8

COLOURS AVAILABLE IN *CUSTOM ORDER



Arabica *




Graphite *



Pecan *



Osage *



Scan Here
NextGen Titanium Video

NEXT GEN TITANIUM

DESIGNER
140mm

ENGINEERED FOR EXCELLENCE

Step into next-generation decking, setting the gold standard in durability, resilience, and design. Engineered with a reinforced PVC-wood composite core, each board is encased in an ASA Dual-layer shield, delivering stain, scratch, and weather resistance with a natural timber look.

Built for Australia's harshest conditions, it features heat-resistant technology, an R11/P5 slip rating, and low-to-the-ground installation. BAL-29 certified, with fire retardants and UV inhibitors, it ensures superior fire protection without compromising style.

Available in designer colours, backed by science and a 30-year warranty—this is the benchmark in beauty and strength.

The Future of Decking

- **All-Weather Protection** – ASA Dual-layer shield resists sun, rain, and wear.
- **Versatile & Strong** – Low installation height with a durable PVC-wood core.
- **Authentic Timber Look** – Rich woodgrain texture without the upkeep.
- **Effortless Maintenance** – No sanding, sealing, or staining required.
- **Cool Underfoot** – Engineered to minimize heat buildup.
- **Fire & UV Resistant** – BAL-29 certified for superior safety and longevity.

DESIGNER 140mm	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Optimal Span Residential	Optimal Span Commercial	Slip rating	Fire properties	Weight (kg)
Board	5.8	140 x 24	13	350	300	P5/R11	BAL29	16
Fascia	2.9	150 x 12	NA	NA	NA	NA	BAL29	6
Edge Board	5.8	140 x 24	13	350	300	P5/R11	BAL29	16

NEXTGEN TITANIUM 210mm COLOUR OPTIONS

Available in Wood Grain or Matte Sanded



Silver Grey



Fossil



Willow Oak



Pacific Merbau

COLOURS AVAILABLE IN *CUSTOM ORDER



Arabica *



Graphite *



Osage *



Pecan *



Umber *



Tawny *

10

* Custom Order - Reseller Customers: Denotes \$0.50M minimum - 8 week delivery time - available only for repeat customers



Scan Here
NextGen Titanium Video

Ultra Wide
Boards

NEXT GEN TITANIUM

ULTRA
210mm

ULTRA-WIDE WEATHERPROOF DECKING

Discover the widest, most durable fire-rated composite decking available. Titanium 210mm features a non-porous core and an industry-leading ASA shield, delivering unmatched strength, longevity, and efficiency.

Crafted for architects and designers, its curated colour palette enhances any space, while expert co-extrusion onto a sleek 210mm profile ensures seamless installation and superior aesthetics.

With BAL-29 bushfire resistance and an R11/P5 slip-rated surface, it offers exceptional weatherproofing, safety, and elegance. Unrivalled durability, effortless style—backed by a 30-year warranty.


Ultra 210 Difference

- **Extra-Wide Coverage** – Faster, more efficient installation.
- **Unmatched Durability** – BAL-29 certified, stain and scratch-resistant.
- **All-Weather Protection** – ASA shield withstands extreme conditions.
- **Architectural Elegance** – Rich woodgrain texture, designer colour range.
- **Versatile Installation** – Low-to-the-ground capability for any project.
- **Hassle-Free Maintenance** – No sanding, sealing, or staining—ever.

ULTRA 210mm	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Optimal Span Residential	Optimal Span Commercial	Slip rating	Fire properties	Weight (kg)
Board	5.8	210 x 24	9	400	350	P5/R11	BAL 29	22
Fascia	2.9	150 x 12	NA	NA	NA	NA	BAL 29	6


HD MAX LOAD COLOURS

Available in Dual Finish



Emberwood

AVAILABLE IN *STANDARD AND 



Ironwood Grey

AVAILABLE IN *STANDARD AND 



Scan Here
HD Max Load Product

HD MAX LOAD

Maximum Span, Maximum Strength

Designed for extreme durability, HD MAX LOAD is the ultimate heavy-duty decking for commercial, marine, and high-traffic residential projects. Its reinforced 35mm profile delivers unmatched strength and stability, reducing joist requirements and installation costs while maximizing load capacity.

Built for harsh environments, it offers marine-grade protection with optional 316 stainless steel fixings, ideal for coastal, waterfront, and public spaces. The P5/R11 slip rating ensures maximum safety in wet, high-traffic areas, while its UV, rot, and warp-resistant composition guarantees long-term performance with minimal upkeep—a smart investment for architects, builders, and developers who demand strength, safety, and reliability.

HD Max Load Features

- **Extreme Strength** – Handles 4.5 kN load, 7.5 kPa UDL effortlessly.
- **Optimised Span** – 750mm residential, 600–700mm commercial, cutting costs.
- **Marine-Grade Toughness** – Built for saltwater zones, 316 stainless steel fixings optional.
- **Ultimate Grip** – P5/R11 slip rating ensures safety in any condition.
- **Engineered to Last** – UV, rot, and warp-resistant, zero maintenance.
- **Built for Bold Spaces** – Perfect for parks, walkways, waterfronts.

13

HD MAX LOAD	Length (m)	Dimensions (mm)	Boards (per 10SQM)	Optimal Span Residential	Optimal Span Commercial	Slip rating	Fire properties	Weight (kg)
Board	2.7	145 x 35	25.5	750mm	600 -700mm	P5/R11	STD or BAL29	16.9
Fascia	2.7	140 x 20	26.5	NA	NA	NA	STD or BAL29	9.3
Kick Rail	2.7	90 x 40	NA	NA	NA	NA	STD or BAL29	12.6

QUICK GUIDE TO INSTALLATION

Before installing:

Please consult and comply with local building codes and special requirements or restrictions when undertaking an outdoor decking installation. Please consult a structural engineer before placing significant loading such as a pool spa on your deck.

Installation Guide:

Once your order is placed, you'll receive a comprehensive installation guide via email. This step-by-step manual covers everything you need to design and install your deck with confidence, including common layouts, joist spans, clearance requirements, and expansion/contraction guidelines.

To ensure a flawless installation, we recommend reading and understanding the guide in full before starting your project.

14 Effortless DIY Installation:

Join thousands of Aussie DIYers who love how quick and easy Brite Decking is to install. Our concealed fastening system speeds up installation by up to 70% compared to timber, saving you time and money.

All you need are standard woodworking tools (drill, saw, sander, tape measure, level, cordless screwdriver, countersink bit) and basic protective equipment to get started. Simple, seamless, and stress-free!



Starter Clip



Deck Clip



Screw



Driver Bit

STEP 1



Place BriteDeck Starter Clips on the edge of every joist.

STEP 2



Start from the furthest point away from the house and work towards it. Install your bullnose or standard board, then place Deck Clips on every joist.

STEP 3



For boards over 4m long, place an Anti-Creep Clip at the centre joist (one per board).

STEP 4



Secure and screw each clip, working row by row towards the opposite edge.

STEP 5



Breaker boards must be used instead of butt joints for a stronger, more durable finish. Trim boards 3-5mm from the joist edge, slot in the breaker board, and fix using a 45° screw or face fix.

STEP 6



Finish with matching Fascia boards. Face-fix to the frame, never into the deck board.



Anti-Creep Clip


All the clips and screws you need—free of charge. Just tell us your subframe type—timber or metal—and we'll handle the rest!



Installation Video



Our Gallery



COMPOSITE CLADDING

Brite Composite Cladding—where style, strength, and sustainability meet.

Enjoy timber's beauty without the upkeep—our low-maintenance cladding delivers modern, striking facades built to last. Designed for Australia's harshest conditions, it resists warping, cracking, and splintering. Made from recycled materials, it's eco-friendly and easy to install. Backed by a 10-year warranty, with superior fire, termite, and water resistance—protection and style, year after year.



French Oak
5.4m



Country Teak
5.4m



Kohu Merbau
5.4m



Shadow Grey
5.4m



Black Wood
2.7m



Cloud White
2.7m



Midnight Teak
2.7m





Midnight White
2.7m

COMPOSITE CLADDING	Visible Width	Length	Thickness	Span	Board Weight	Weight per sqm
Board	200mm	5400mm	26mm	400-500mm	15.5kg	14.5kg



TRIM SYSTEMS

CLADDING TRIM SYSTEMS SEAMLESSLY BLEND WITH MATERIALS, COVERING EDGES AND JOINTS FOR A POLISHED LOOK, WHILE PREVENTING MOISTURE INFILTRATION AND AIR LEAKAGE.




MIST GREY



SANDY TRAVERTINE



MOSAIC



SLATE CONTOUR

Indoor Wall

ACOUSTIC PANEL


SOUND MEETS SOUND CONTROL



Effortless installation meets superior sound control. Our Acoustic Wall Panels feature MDF timber slats with a premium wood veneer finish, backed by high-performance acoustic felt for enhanced sound absorption.

Designed for both walls and ceilings, they effectively reduce sound reflections, creating a calmer, more comfortable environment. Whether for a home office, commercial space, or entertainment area, these panels provide a seamless blend of function and style.

Length	Width	Thickness	Slat Size	Boards per SQM	Weight
2700mm	605mm	21mm	12mm x 27mm	0.62	8.7 kg/panel



PEARL GREY

SPC WALL PANEL

SEAMLESS STYLE, BUILT TO LAST

BRITE SPC Wall Panels deliver style, strength, and durability without compromise. Crafted from a high-performance blend of natural limestone powder, PVC, and stabilizers, they offer exceptional water resistance, longevity, and impact resistance—making them the ideal choice for both residential and commercial spaces

Length	Width	Thickness	Coverage Area	Boards per SQM	Weight
2700mm	1200mm	3mm	3.24mm	0.30	20.47 kg/panel



RESIDENTIAL
Kitchens, Splash Backs, Bathrooms and Stylish Feature Walls



COMMERCIAL
Offices, Retail Spaces, Showrooms and Hospitality Venues



HIGH-MOISTURE & BUSY AREAS
Laundries, Mudrooms, Entryways, Hallways and Staircases

l Solutions



NATURAL OAK



WALNUT



DARK OAK



RESIDENTIAL
Feature Walls, Home Theatres & Home offices



COMMERCIAL
Offices, Restaurants & Retail Spaces



PUBLIC
Hotels, Schools, Gyms & Cinemas



BRITE
COMPOSITE DECKING SOLUTIONS

CONTACT US

1300 481 664



HEAD OFFICE

Brite Decking (Pty) Ltd

Unit 6-7, 81 Governor Macquarie Drive,
Chipping Norton, NSW 2170
ABN: 68 617 566 837
Phone: 1300 481 664
Email: sales@britedecking.com.au

DISTRIBUTION POINTS & SHOWROOMS:

New South Wales (Sydney)

Unit 6-7, 81 Governor Macquarie Drive,
Chipping Norton, NSW 2170

Victoria (Melbourne)

75-79 Cooper Street,
Campbellfield VIC 3061

Queensland (Brisbane, Gold Coast)

2/260 Musgrave Road
Coopers Plains QLD 4108

